

FIG. 1C







FIG. 1D





----- 0.81 kb Flanking Sequence Probe

•••••• 0.52 kb *pag* Probe



_____ 0.81 kb Flanking Sequence Probe

•••••• 0.52 kb pag Probe




FIG. 2D





FIG. 2E






FIG. 3B




FIG. 3C




FIG. 4A




FIG. 4B




FIG. 4C





FIG. 5A



- → Control Wild Type (extract stored 2 days)
- —□— pLD-JW1 (extract stored 2 days)
- —— Control Wild Type (extract stored 7 days)
- → pLD-JW1 (extract stored 7 days)
- -->-- PA 5 μg/ml
- --- Control Wild Type No LF (extract stored 2 days)
- -B- Control pLD-JW1 No LF (extract stored 2 days)
- → Control Wild Type No LF (extract stored 7 days)
- Control Wild Type No LF (extract stored 7 days)




FIG. 6A





FIG. 6B



pTOM-BADH2-G10-pag~8.8 kb

FIG. 7




FIG. 8




FIG. 9A FIG. 9B




FIG. 10





FIG. 11A

FIG. 11B



Lethal Toxin Neutralization-Serum IgG

75

50

18 32 64 128 256 512 1024

Dilutions

FIG. 12




FIG. 13A



FIG. 13B

1 2 3 4 5 6 7 8 9 10 11 12 13



FIG. 14A

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15




FIG. 14B





FIG. 16



pDD34-ZM-gfp-BADH





FIG. 17



pDD33-ZM-aadA-BADH





FIG. 18






FIG. 20A




FIG. 20B




FIG. 21






FIG. 22




FIG. 23A




FIG. 23B




FIG. 23C



FIG. 23D




FIG. 24